

A man is shown from the side, wearing a black t-shirt and white gloves, using a blue and black Salter plate loaded machine. The machine has a large black flywheel with green accents and a blue frame. The man's arm is extended, holding the handle of the machine. The background is white.

PLATE LOADED MACHINES

1500 SERIES

SALTER
The essence of fitness

V092020

PLATE LOADED MACHINES 1500 SERIES



The plate loaded machines 1500 SERIES have been biomechanically designed to offer maximum functionality and performance. The convergent / divergent arc of movement imitates free weight workout. Independent lever arms allow unilateral work. In addition, its solid and resistant structure allows training at an intense level even with high loads.

The **1500 SERIES** includes 11 models to achieve a complete training workout at the highest intensity level.



M-1518 Shoulder press

TECHNICAL SPECIFICATIONS:

- 3mm rectangular steel chassis.
- 200^g polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Anatomical seat.
- Height-adjustable anatomical leg rest.
- Help lever to facilitate the start of the exercise with automatic release.
- The movement multiplies the load x 2 due to the type of lever used.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 10 kg.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 147x128x82 cm.
- Commercial use.

REF.	Ø DISCS
M-1518	30 mm
M-1518/50	50 mm





M-1525 Gluteus

TECHNICAL SPECIFICATIONS:

- 3mm rectangular steel chassis.
- 200^g polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Anatomical seat.
- Height-adjustable anatomical leg rest.
- Help lever to facilitate the start of the exercise with automatic release.
- The movement multiplies the load x 2 due to the type of lever used.
- Support for discs.
- Disc diameter: 30/50 mm.
- Disks not included.
- Adjustable levellers in the base.
- Lever arm weight: 10 kg.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensiones: 130x155x114 cm.
- Commercial use.

REF.	Ø DISCS
M-1525	30 mm
M-1525/50	50 mm





M-1526 Leg extension

TECHNICAL SPECIFICATIONS:

- 3mm rectangular steel chassis.
- 200^g polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Anatomical seat.
- Anatomically adjustable backrest.
- Grips injected in non-porous and non-slip rubber material.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 20 kg.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 104x122x130 cm.
- Commercial use.

REF.	Ø DISCS
M-1526	30 mm
M-1526/50	50 mm





M-1527 Leg curl

TECHNICAL SPECIFICATIONS:

- 3mm rectangular steel chassis.
- 200^g polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Anatomical support backrest.
- Anatomical armrest.
- Grips injected in non-porous and non-slip rubber material.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 20 kg.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 107x152x69 cm.
- Commercial use.

REF.	Ø DISCS
M-1527	30 mm
M-1527/50	50 mm





M-1540 Chest press

TECHNICAL SPECIFICATIONS:

- 3mm rectangular steel chassis.
- 200^g polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Convergent and independent movement.
- Non-slip graphite grips for added security.
- Anatomically adjustable height seat by gas piston.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 10 kg each.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 128x196x172 cm.
- Commercial use.

REF.	Ø DISCS
M-1540	30 mm
M-1540/50	50 mm





M-1541 Seated row

TECHNICAL SPECIFICATIONS:

- 3mm rectangular steel chassis.
- 200^g polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Divergent and independent movement.
- Multislip handlebar, non-slip, for greater safety.
- Anatomically adjustable height seat by gas piston.
- Supports adjustable chest.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 6.5 kg each.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 141x142x129 cm.
- Commercial use.

REF.	Ø DISCS
M-1541	30 mm
M-1541/50	50 mm





M-1543 Inclined chest press

TECHNICAL SPECIFICATIONS:

- 3 mm rectangular steel chassis.
- 200^g polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Convergent and independent movement.
- Non-slip graphite grips for added security.
- Anatomically adjustable height seat by gas piston.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 10 kg each.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 104x211x170 cm.
- Commercial use.

REF.	Ø DISCS
M-1543	30 mm
M-1543/50	50 mm





M-1576 Shoulder press

TECHNICAL SPECIFICATIONS:

- 3 mm rectangular steel chassis.
- 200^g polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Convergent and independent movement.
- Non-slip graphite grips for added security.
- Anatomically adjustable height seat by gas piston.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 8 kg each.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 133x160x138 cm.
- Commercial use.

REF.	Ø DISCS
M-1576	30 mm
M-1576/50	50 mm





M-1584 Pec fly

TECHNICAL SPECIFICATIONS:

- 3mm rectangular steel chassis.
- 200^g polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Non-slip graphite grips for added security.
- Anatomically adjustable seat by gas piston.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 5 kg each.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 159x174x106 cm.
- Commercial use

REF.	Ø DISCS
M-1584	30 mm
M-1584/50	50 mm





M-1591 Vertical dorsal

TECHNICAL SPECIFICATIONS:

- 3 mm rectangular steel chassis.
- 200^g polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Divergent and independent movement.
- Anatomically adjustable height seat by gas piston.
- Non-slip graphite grips for added security.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 1 kg each.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 175x118x195 cm.
- Commercial use.

REF.	Ø DISCS
M-1591	30 mm
M-1591/50	50 mm





M-1598 T-Bar row plate loaded

TECHNICAL SPECIFICATIONS:

- 3 mm reinforced steel chassis.
- 200^g polyester black powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Platform supports non-slip feet
- Supports chest adjustable by guide with ball skate that guarantees a smooth and silent movement.
- Tilting handlebar with grips injected in non-slip rubber.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 10 kg.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 180x164x125 cm.
- Commercial use.

REF.	Ø DISCS
M-1598	30 mm
M-1598/50	50 mm





COMERCIAL SALTER, S.A.
Lluís Millet, 52
08950 Esplugues de Llobregat
BARCELONE (SPAIN)

International Department:
Ph. (+34) 93 470 00 55

internationalsales@salter.es
technicalsupport@salter.es

www.salter.es